

**LISTING OF THE CLAIMS**

The following listing, if entered, replaces all prior versions of the claims in the present application.

1-22. (Cancelled)

23. **(Currently Amended)** A method of inter-module communication comprising:

forming a message, wherein

said forming comprises

inserting customer relations management system information and  
other customer relations management system information  
into said message,

configuring said message to be pushed from a customer relations  
management system by encoding at least a portion of said  
message in a markup language,

receiving an incoming customer support request at said customer  
relations management system, wherein said customer  
relations management system receives said incoming  
customer support request from a channel driver in  
communication with a communications channel, and  
causing said customer relations management system to route said  
incoming customer support request ~~as a work item~~ to an  
agent ~~using said message~~,

**said causing routes said incoming customer support request to said  
agent as a work item,**

**said causing routes said work item using said message,**

**said causing comprises pushing said message from said customer  
relations management system,**

**said pushing is performed in response to said receiving said incoming  
customer support request,**

said customer relations management system information comprises at least one of agent information and work item information,  
said agent information comprises information regarding said agent,  
said work item information comprises information regarding said work item,  
said other customer relations management system information is other than said agent information and said work item information, and  
said other customer relations management system information comprises at least one of a command, a request and a notification.

24. (Previously Presented) The method of claim 23, wherein said notification comprises at least one of notification of an event and autonomously provided information.
25. (Original) The method of claim 24, wherein said customer relations management system information further comprises at least one of queuing information, statistical information, connection information and rule information.
26. (Original) The method of claim 23, further comprising: communicating said message from a commerce server to a universal queuing system.
27. (Previously Presented) The method of claim 23, further comprising: forming said command, wherein said other customer relations management system information comprises said command and said command is defined such that a module receiving said message performs an operation.
28. (Previously Presented) The method of claim 23, further comprising: forming said request, wherein said other customer relations management system information comprises said request and said request is configured to cause a module receiving said message to reply with requested customer relations management system information.

29. (Previously Presented) The method of claim 23, further comprising:  
forming said notification, wherein said other customer relations management  
system information comprises said notification, and said notification is  
generated by a module generating said message.
30. (Previously Presented) The method of claim 23, wherein  
said message defines a function, and  
said function is one of an agent-related function, a work item-related function, a  
statistics-related function and an administrative function.
31. (Original) The method of claim 30, wherein  
said agent-related function is initiated by one of an AgentLogin command, an  
AgentLogout command, an AgentInitAuBWork command, an  
AgentAllMediaAvailable command, a ChangeAgentMediaMode  
command, a ChangeAgentSkill command, a RequestAgentState request, a  
RequestAgentMediaMode request, a RequestSystemState request, a  
RequestAgentWorkableList request, a RequestWorkItemAssignment  
request, a RequestAgentWorkItemList request and a  
RequestAgentMediaState request.
32. (Original) The method of claim 30, wherein  
said work item-related function is initiated by one of an AddWorkItem command,  
a RequestWorkItemStatus request, an AcceptWorkItem command, a  
RejectWorkItem command, a CompleteWorkItem command, a  
WrapUpWorkItemResponse command, a WrapCompleteWorkItem  
command, an HoldWorkItem command, an UnHoldWorkItem command,  
a BlindTransferWorkItemToAgent command, a  
TransferWorkItemToAgent command and a TransferWorkItemToRoute  
command.

33. (Original) The method of claim 30, wherein  
said statistics-related function is initiated by one of a SetChannelStatInterval  
command, a SetRouteStatInterval command, a StartAgentStat command, a  
StopAgentStat command and a GetSystemStatistics request.
34. (Original) The method of claim 30, wherein  
said administrative function is initiated by one of a UQOpenConnection  
command, a UQReopenConnection command, a UQInitRules command, a  
UQReplaceRules command and a UQDisconnect command.
35. (Previously Presented) The method of claim 30, further comprising:  
sending said message.
36. (Previously Presented) The method of claim 35, further comprising:  
receiving said message.
37. **(Currently Amended)** A computer system comprising:  
a processor;  
computer readable storage medium coupled to said processor; and  
computer code, encoded in said computer readable storage medium, configured to  
cause said processor to:  
form a message, wherein  
said forming comprises  
inserting customer relations management system information and other  
customer relations management system information into said  
message,  
configuring said message to be pushed from a customer relations  
management system by encoding at least a portion of said  
message in a markup language,  
receiving an incoming customer support request at said customer  
relations management system, wherein said customer relations  
management system receives said incoming customer support  
request from a channel driver in communication with a  
communications channel, and

causing said customer relations management system to route said  
incoming customer support request ~~as a work item~~ to an agent  
~~using said message,~~  
said causing routes said incoming customer support request to said  
agent as a work item,  
said causing routes said work item using said message,  
said causing comprises pushing said message from said customer  
relations management system,  
said pushing is performed in response to said receiving said incoming  
customer support request,  
said customer relations management system information comprises at least  
one of agent information and work item information,  
said agent information comprises information regarding said agent,  
said work item information comprises information regarding said work  
item,  
said other customer relations management system information is other  
than said agent information and said work item information, and  
said other customer relations management system information comprises  
at least one of a command, a request and a notification.

38. (Previously Presented) The computer system of claim 37, wherein  
said notification comprises at least one of notification of an event and  
autonomously provided information.

39. (Previously Presented) The computer system of claim 38, wherein  
said customer relations management system information further comprises at least  
one of queuing information, statistical information, connection  
information and rule information.

40. (Previously Presented) The computer system of claim 37, wherein said computer code is further configured to cause said processor to:  
communicate said message from a commerce server to a universal queuing system.
41. (Previously Presented) The computer system of claim 37, wherein said computer code is further configured to cause said processor to:  
form said command, wherein said other customer relations management system information comprises said command and said command is defined such that a module receiving said message performs an operation.
42. (Previously Presented) The computer system of claim 37, wherein said computer code is further configured to cause said processor to:  
form said request, wherein said other customer relations management system information comprises said request and said request is configured to cause a module receiving said message to reply with requested customer relations management system information.
43. (Previously Presented) The computer system of claim 37, wherein said computer code is further configured to cause said processor to:  
form said notification, wherein  
said other customer relations management system information comprises said notification, and  
said notification is generated by a module generating said message.
44. (Previously Presented) The computer system of claim 37, wherein said message defines a function, and  
said function is one of an agent-related function, a work item-related function, a statistics-related function and an administrative function.
45. (Previously Presented) The computer system of claim 44, wherein said computer code is further configured to cause said processor to:  
send said message.

46. **(Currently Amended)** A computer program product comprising:
- a first set of instructions, executable on a computer system, configured to form a message, wherein
    - said first set of instructions comprises
      - a first subset of instructions, executable on a computer system, configured to insert customer relations management system information and other customer relations management system information into said message,
      - a second subset of instructions, executable on a computer system, configured to configure said message to be pushed from a customer relations management system, wherein said second subset of instructions comprises
        - a first sub-subset of instructions, executable on a computer system, configured to encode at least a portion of said message in a markup language,
      - a third subset of instructions, executable on a computer system, configured to receive an incoming customer support request at said customer relations management system, wherein said customer relations management system receives said incoming customer support request from a channel driver in communication with a communications channel, and
      - a fourth subset of instructions, executable on a computer system, configured to cause said customer relations management system to route said incoming customer support request ~~as a work item~~ to an agent ~~using said message,~~
- said causing routes said incoming customer support request to said agent as a work item,**
- said causing routes said work item using said message,**

**said causing comprises pushing said message from said customer**

**relations management system,**

**said pushing is performed in response to said receiving said incoming**

**customer support request,**

said customer relations management system information comprises at least

one of agent information and work item information,

said agent information comprises information regarding said agent,

said work item information comprises information regarding said work  
item,

said other customer relations management system information is other

than said agent information and said work item information, and

said other customer relations management system information comprises

at least one of a command, a request and a notification; and

computer readable storage media, wherein said computer program product is  
encoded in said computer readable storage media.

47. (Previously Presented) The computer program product of claim 46,  
wherein

said notification comprises at least one of notification of an event and  
autonomously provided information.

48. (Previously Presented) The computer program product of claim 47,  
wherein

said customer relations management system information further comprises at least  
one of queuing information, statistical information, connection  
information and rule information.

49. (Previously Presented) The computer program product of claim 46,  
wherein said computer program product further comprises:

a second set of instructions, executable on said computer system, configured to  
communicate said message from a commerce server to a universal queuing  
system.



50. (Previously Presented) The computer program product of claim 46, wherein said computer program product further comprises:  
a second set of instructions, executable on said computer system, configured to form said command, wherein said other customer relations management system information comprises said command and said command is defined such that a module receiving said message performs an operation.

51. (Previously Presented) The computer program product of claim 46, wherein said computer program product further comprises:  
a second set of instructions, executable on said computer system, configured to form said request, wherein said other customer relations management system information comprises said request and said request is configured to cause a module receiving said message to reply with requested customer relations management system information.

52. (Previously Presented) The computer program product of claim 46, wherein said computer program product further comprises:  
a second set of instructions, executable on said computer system, configured to form said notification, wherein  
said other customer relations management system information comprises  
said notification, and  
said notification is generated by a module generating said message.

53. (Previously Presented) The computer program product of claim 46, wherein  
said message defines a function, and  
said function is one of an agent-related function, a work item-related function, a statistics-related function and an administrative function.

54. (Previously Presented) The computer program product of claim 53, wherein said computer program product further comprises:  
a second set of instructions, executable on said computer system, configured to send said message.

55. (Currently Amended) An apparatus comprising:

a processor; and

means for inter-module communication comprising means for forming a message,  
wherein

said means for inter-module communication is communicatively coupled  
to said processor,

said means for forming comprises

means for inserting customer relations management system  
information and other customer relations management  
system information into said message, ~~wherein said  
message is pushed from said customer relations  
management system as a result of said customer  
relations management system receiving an incoming  
customer support request and said incoming customer  
support request being routed as a work item to an  
agent,~~ and

means for configuring said message to be pushed from a customer  
relations management system, ~~wherein~~

said means for configuring comprises a means for encoding at least a  
portion of said message in a markup language,

means for pushing said message from said customer relations  
management system,

said means for pushing is configured to push said message in response  
to receipt of said incoming customer support request,

said means for pushing is configured to route said message to an agent  
as a work item,

said customer relations management system information comprises at least  
one of agent information and work item information,

said agent information comprises information regarding said agent,

said work item information comprises information regarding said work  
item,

said other customer relations management system information is other  
than said agent information and said work item information, and

said other customer relations management system information comprises at least one of a command, a request and a notification.

56. (Previously Presented) The apparatus of claim 55, wherein said notification comprises at least one of notification of an event and autonomously provided information.
57. (Previously Presented) The apparatus of claim 56, wherein said customer relations management system information further comprises at least one of queuing information, statistical information, connection information and rule information.
58. (Previously Presented) The apparatus of claim 55, further comprising: means for communicating said message from a commerce server to a universal queuing system.
59. (Previously Presented) The apparatus of claim 55, further comprising: means for forming said command, wherein said other customer relations management system information comprises said command and said command is defined such that a module receiving said message performs an operation.
60. (Previously Presented) The apparatus of claim 55, further comprising: means for forming said request, wherein said other customer relations management system information comprises said request and said request is configured to cause a module receiving said message to reply with requested customer relations management system information.
61. (Previously Presented) The apparatus of claim 55, further comprising: means for forming said notification, wherein said other customer relations management system information comprises said notification, and said notification is generated by a module generating said message.

62. (Previously Presented) The apparatus of claim 55, wherein said message defines a function, and said function is one of an agent-related function, a work item-related function, a statistics-related function and an administrative function.

63. (Previously Presented) The apparatus of claim 62, further comprising: means for sending said message.

64. (Previously Presented) The apparatus of claim 63, further comprising: means for receiving said message.

65. (Currently Amended) A method comprising: receiving a message, wherein

at least a portion of said message is encoded in a markup language, said receiving comprises

receiving said message from a customer relations management system upon said message being pushed from said customer relations management system, ~~wherein said message is pushed from said customer relations management system as a result of said customer relations management system receiving an incoming customer support request, and said incoming customer support request being routed as a work item to an agent,~~

extracting customer relations management system information and other customer relations management system information from said message, and

decoding said at least said portion of said message in said markup language,

said message is pushed from said customer relations management system as a result of said customer relations management system

receiving an incoming customer support request,

**identifying an agent to perform said incoming customer**  
**support request, and**  
**routing said incoming customer support request as a**  
**work item to said agent,**

said message is configured to provide inter-module communications by virtue of

said message comprising said customer relations management system information and said other customer relations management system information,

said customer relations management system information comprising at least one of agent information and work item information,

said agent information comprising information regarding said agent,

said work item information comprising information regarding said work item,

said other customer relations management system information being other than said agent information and said work item information, and

said other customer relations management system information comprising at least one of a command, a request and a notification.

66. (Previously Presented) The method of claim 65, wherein said notification comprises at least one of notification of an event and autonomously provided information.

67. (Previously Presented) The method of claim 66, wherein said customer relations management system information further comprises at least one of queuing information, statistical information, connection information and rule information.

68. (Previously Presented) The method of claim 65, wherein

said receiving of said command occurs at a universal queuing system.

69. (Previously Presented) The method of claim 65, further comprising:  
performing an operation in response to receiving said command, wherein said  
other customer relations management system information comprises said  
command.

70. (Previously Presented) The method of claim 65, further comprising:  
replying with requested customer relations management system information in  
response to receiving said message, wherein said other customer relations  
management system information comprises said request.

71. (Previously Presented) The method of claim 65, wherein  
said other customer relations management system information comprises said  
notification, and  
said notification is generated by a module generating said message.

72. (Previously Presented) The method of claim 65, wherein  
said message defines a function, and  
said function is one of an agent-related function, a work item-related function, a  
statistics-related function and an administrative function.

73. **(Currently Amended)** A computer system comprising:  
a processor;  
computer readable storage medium coupled to said processor; and  
computer code, encoded in said computer readable storage medium, configured to  
cause said processor to:  
receive a message, wherein  
at least a portion of said message is encoded in a markup language,  
said computer code configured to cause said processor to receive  
comprises  
computer code configured to cause said processor to receive said  
message from a customer relations management system upon  
said message being pushed from said customer relations

management system, ~~wherein said message is pushed from said customer relations management system as a result of said customer relations management system receiving an incoming customer support request, and said incoming customer support request being routed as a work item to an agent,~~

computer code configured to cause said processor to extract customer relations management system information and other customer relations management system information from said message, and

computer code configured to cause said processor to decode said at least said portion of said message in said markup language, said message is pushed from said customer relations management system as a result of said customer relations management system

receiving an incoming customer support request, identifying an agent to perform said incoming customer support request, and routing said incoming customer support request as a work item to said agent,

said message is configured to provide inter-module communications by virtue of

said message comprising said customer relations management system information and said other customer relations management system information,

said customer relations management system information comprising at least one of agent information and work item information,

said agent information comprising information regarding said agent,

said work item information comprising information regarding said work item,

said other customer relations management system information being other than said agent information and said work item information, and

said other customer relations management system information comprising at least one of a command, a request and a notification.

74. (Previously Presented) The computer system of claim 73, wherein said notification comprises at least one of notification of an event and autonomously provided information.

75. (Previously Presented) The computer system of claim 74, wherein said customer relations management system information further comprises at least one of queuing information, statistical information, connection information and rule information.

76. (Previously Presented) The computer system of claim 73, wherein said receiving of said command occurs at a universal queuing system.

77. (Previously Presented) The computer system of claim 73, wherein said computer code is further configured to cause said processor to:  
perform an operation in response to receiving said command, wherein said other customer relations management system information comprises said command.

78. (Previously Presented) The computer system of claim 73, wherein said computer code is further configured to cause said processor to:  
reply with requested customer relations management system information in response to receiving said message, wherein said other customer relations management system information comprises said request.

79. (Previously Presented) The computer system of claim 73, wherein said other customer relations management system information comprises said notification, and  
said notification is generated by a module generating said message.



80. (Previously Presented) The computer system of claim 73, wherein said message defines a function, and said function is one of an agent-related function, a work item-related function, a statistics-related function and an administrative function.

81. (Currently Amended) A computer program product comprising:  
 a first set of instructions, executable on a computer system, configured to receive a message, wherein  
 at least a portion of said message is encoded in a markup language,  
 said first set of instructions comprises  
     a first subset of instructions, executable on a computer system,  
     configured to receive said message from a customer relations management system upon said message being pushed from said customer relations management system,  
     ~~wherein said message is pushed from said customer relations management system as a result of said customer relations management system receiving an incoming customer support request, and said incoming customer support request being routed as a work item to an agent,~~  
     a second subset of instructions, executable on a computer system,  
     configured to extract customer relations management system information and other customer relations management system information from said message, and  
     a third subset of instructions, executable on a computer system,  
     configured to decode said at least said portion of said message in said markup language,  
     said message is pushed from said customer relations management system as a result of said customer relations management system  
     receiving an incoming customer support request,  
     identifying an agent to perform said incoming customer support request, and

**routing said incoming customer support request as a  
work item to said agent,**

said message is configured to provide inter-module communications by  
virtue of

said message comprises customer relations management system  
information and other customer relations management system  
information,

said customer relations management system information comprises at  
least one of agent information and work item information,

said agent information comprises information regarding said agent,

said work item information comprises information regarding said work  
item,

said other customer relations management system information is other  
than said agent information and said work item information,  
and

said other customer relations management system information  
comprises at least one of a command, a request and a  
notification; and

computer readable storage media, wherein said computer program product is  
encoded in said computer readable storage media.

82. (Previously Presented) The computer program product of claim 81,  
wherein

said notification comprises at least one of notification of an event and  
autonomously provided information.

83. (Previously Presented) The computer program product of claim 81,  
wherein  
said customer relations management system information further comprises at least  
one of queuing information, statistical information, connection  
information and rule information.
84. (Previously Presented) The computer program product of claim 81,  
wherein  
said receiving of said command occurs at a universal queuing system.
85. (Previously Presented) The computer program product of claim 81,  
wherein said computer program product further comprises:  
a second set of instructions, executable on said computer system, configured to  
perform an operation in response to receiving said command, wherein said  
other customer relations management system information comprises said  
command.
86. (Previously Presented) The computer program product of claim 81,  
wherein said computer program product further comprises:  
a second set of instructions, executable on said computer system, configured to  
reply with requested customer relations management system information  
in response to receiving said message, wherein said other customer  
relations management system information comprises said request.
87. (Previously Presented) The computer program product of claim 81,  
wherein  
said other customer relations management system information comprises said  
notification, and  
said notification is generated by a module generating said message.

88. (Previously Presented) The computer program product of claim 81,  
wherein

said message defines a function, and  
said function is one of an agent-related function, a work item-related function, a  
statistics-related function and an administrative function.

89. (Currently Amended) An apparatus comprising:

a processor; and

means for receiving a message, wherein

said means for receiving is communicatively coupled to said processor,  
at least a portion of said message is encoded in a markup language,  
said means for receiving comprises

means for receiving said message from a customer relations  
management system upon said message being pushed from  
said customer relations management system, ~~wherein said  
message is pushed from said customer relations  
management system as a result of said customer  
relations management system receiving an incoming  
customer support request, and said incoming customer  
support request being routed as a work item to an  
agent,~~

means for extracting customer relations management system  
information and other customer relations management  
system information from said message, and

means for decoding said at least said portion of said message in  
said markup language,

said message is pushed from said customer relations management  
system as a result of said customer relations management  
system

receiving an incoming customer support request,  
identifying an agent to perform said incoming customer  
support request, and

**routing said incoming customer support request as a  
work item to said agent,**

said message is configured to provide inter-module communications by virtue of  
said message comprising said customer relations management system information and said other customer relations management system information,  
said customer relations management system information comprising at least one of agent information and work item information,  
said agent information comprising information regarding an agent,  
said work item information comprising information regarding a work item,  
said other customer relations management system information being other than said agent information and said work item information, and  
said other customer relations management system information comprising at least one of a command, a request and a notification.

90. (Previously Presented) The apparatus of claim 89, wherein said notification comprises at least one of notification of an event and autonomously provided information.

91. (Previously Presented) The apparatus of claim 90, wherein said customer relations management system information further comprises at least one of queuing information, statistical information, connection information and rule information.

92. (Previously Presented) The apparatus of claim 89, wherein said receiving of said command occurs at a universal queuing system.

93. (Previously Presented) The apparatus of claim 89, further comprising:  
means for performing an operation in response to receiving said command,  
wherein said other customer relations management system information  
comprises said command.

94. (Previously Presented) The apparatus of claim 89, further comprising:  
means for replying with requested customer relations management system  
information in response to receiving said message, wherein said other  
customer relations management system information comprises said  
request.

95. (Previously Presented) The apparatus of claim 89, wherein  
said other customer relations management system information comprises said  
notification, and  
said notification is generated by a module generating said message.

96. (Previously Presented) The apparatus of claim 89, wherein  
said message defines a function, and  
said function is one of an agent-related function, a work item-related function, a  
statistics-related function and an administrative function.

97-98. (Cancelled)

99. (Cancelled)

100. (New) The method of claim 23, wherein forming a message further  
comprises:  
packaging and un-packaging said customer relations management system  
information and said other customer relations management system  
information using a data transfer protocol.

101. (New) The computer system of claim 37, wherein said computer code is further configured to cause said processor to:

package and un-package said customer relations management system information and said other customer relations management system information using a data transfer protocol.

102. (New) The computer program product of claim 46, wherein said first set of instructions further comprises:

a fifth subset of instructions, executable on said computer system, configured to package and un-package said customer relations management system information and said other customer relations management system information using a data transfer protocol.

103. (New) The apparatus of claim 55, wherein said means for forming further comprises:

means for packaging and un-packaging said customer relations management system information and said other customer relations management system information using a data transfer protocol.